

1219202	RS_FP_600633	4346A BROWN GLAZE	S25KG
Product specification	RS_FP_600633	Revision Date	06/03/2016
Version	1	Print Date	08/04/2016
Material number	1219202	Page	Page 1 of 8

## SECTION 1. IDENTIFICATION

Product name : 4346A BROWN GLAZE S25KG  
000000000001219202

Product code : RS\_FP\_600633

### Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

Disposal considerations : Dispose of wastes in an approved waste disposal facility.

### Emergency telephone number

CHEMTREC In-Country : (800)424-9300

Number

CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

Restrictions on use : Reserved for industrial and professional use.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Not a hazardous substance or mixture.

### GHS Label element

Not a hazardous substance or mixture.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Amorphous Silica	112945-52-5	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.

If inhaled : Remove to fresh air.

<b>1219202</b>		<b>4346A BROWN GLAZE</b>		<b>S25KG</b>	
Product specification	<b>RS_FP_600633</b>	Revision Date	<b>06/03/2016</b>		
Version	<b>1</b>	Print Date	<b>08/04/2016</b>		
Material number	<b>1219202</b>	Page	<b>Page 2 of 8</b>		

- If unconscious place in recovery position and seek medical advice.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with soap and plenty of water.  
If a person feels unwell or symptoms of skin irritation appear, consult a physician.
- In case of eye contact : Rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do NOT induce vomiting.  
Rinse immediately with plenty of water and seek medical advice.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not get in eyes or mouth or on skin.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not use in areas without adequate ventilation.  
Keep away from heat and sources of ignition.

1219202		4346A BROWN GLAZE	S25KG
Product specification	RS_FP_600633	Revision Date	06/03/2016
Version	1	Print Date	08/04/2016
Material number	1219202	Page	Page 3 of 8

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Amorphous Silica	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection  
Material : Protective gloves

Eye protection : Safety glasses with side-shields  
Ensure that eyewash stations and safety showers are close to the workstation location.

Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.  
Wash hands before breaks and immediately after handling the product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : coloured

Odour : characteristic

# SAFETY DATA SHEET

1219202		4346A BROWN GLAZE	S25KG
Product specification	RS_FP_600633	Revision Date	06/03/2016
Version	1	Print Date	08/04/2016
Material number	1219202	Page	Page 4 of 8

---

Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
VOC	: 0 %
Oxidizing properties	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: No data available
Possibility of hazardous reactions	: No data available
Conditions to avoid	: Incompatible materials

1219202		4346A BROWN GLAZE	S25KG
Product specification	RS_FP_600633	Revision Date	06/03/2016
Version	1	Print Date	08/04/2016
Material number	1219202	Page	Page 5 of 8

Incompatible materials : Incompatible with oxidizing agents.  
 Incompatible with strong acids and bases.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

inhalation (vapour)

Skin

Eye contact

Ingestion

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
 Method: Calculation method

### Components:

#### **Amorphous Silica:**

Acute oral toxicity : LD50 Oral (Rat): 3,160 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

<b>1219202</b>		<b>4346A BROWN GLAZE</b>	<b>S25KG</b>
Product specification	<b>RS_FP_600633</b>	Revision Date	<b>06/03/2016</b>
Version	<b>1</b>	Print Date	<b>08/04/2016</b>
Material number	<b>1219202</b>	Page	<b>Page 6 of 8</b>

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

**Persistence and degradability****Components:****Amorphous Silica:**

Biodegradability : Remarks: No data available

**Bioaccumulative potential****Components:****Amorphous Silica:**

Bioaccumulation : Remarks: No data available

**Mobility in soil****Components:****Amorphous Silica:**

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of wastes in an approved waste disposal facility.

1219202		4346A BROWN GLAZE	S25KG
Product specification	RS_FP_600633	Revision Date	06/03/2016
Version	1	Print Date	08/04/2016
Material number	1219202	Page	Page 7 of 8

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR DOT

Not regulated as a hazardous material

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA 5a - Not relevant  
 TSCA\_12b - Not relevant

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This product contains components that are reportable under the regulation.

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory

<b>1219202</b>		<b>4346A BROWN GLAZE</b>	<b>S25KG</b>
Product specification	<b>RS_FP_600633</b>	Revision Date	<b>06/03/2016</b>
Version	<b>1</b>	Print Date	<b>08/04/2016</b>
Material number	<b>1219202</b>	Page	<b>Page 8 of 8</b>

---

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA), CH INV (Switzerland), MY INV (Malaysia), TR INV (Turkey), TW INV (Taiwan)

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 06/03/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.